

(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) Publication number:

**0 674 280 A2**

(12)

## EUROPEAN PATENT APPLICATION

(21) Application number: **95301819.9**

(51) Int. Cl.<sup>6</sup>: **G06F 17/30**

(22) Date of filing: **20.03.95**

(30) Priority: **24.03.94 US 217422**

(43) Date of publication of application:  
**27.09.95 Bulletin 95/39**

(84) Designated Contracting States:  
**DE FR GB**

(71) Applicant: **AT&T GLOBAL INFORMATION  
SOLUTIONS INTERNATIONAL INC.  
1700 South Patterson Boulevard  
Dayton,  
Ohio 45479 (US)**

(72) Inventor: **Siefert, David M.  
4519 Sweet Potato Ridge Road  
Englewood, OH 45322 (US)**

(74) Representative: **Robinson, Robert George  
International Patent Department,  
AT&T GIS Limited,  
915 High Road,  
North Finchley  
London N12 8QJ (GB)**


(54) **Launching computer program upon download of data created by program.**

(57) The invention concerns a resource management system, comprising a plurality of servers (14,16), each serving one or more Personal Computers (PCs) (1). The system also comprises means for allowing each PC (1) to store one or more profiles, detailing the contents of one or more resources (3,4,6,15), in the server (14,16) serving that PC (1). The system further comprises means for allowing the user of each PC (1) to search the profiles stored in all of the

servers within the system, thus enabling the user of each PC (1) to search through the contents of all of the resources (3,4,6,15), within the system. The system further comprises means for allowing the user of a server (14,16) to download from other servers, resources which are downloadable, and means for launching a program, after downloading, which displays the downloaded resource (3,4,6,15) in its intended format.

**EP 0 674 280 A2**

FIG. 1C



The present invention relates to launching computer program on download of data created by program, in particular in an automated resource management system.

A database is somewhat analogous to a card catalog of a library. The card catalog cross-indexes books in several ways.

For example, an "author" card exists. This card is located in the catalog at the alphabetical position of the author's surname.

In addition, a "title" card exists, located in the alphabetical position of the book's title. Also, a "subject" card generally exists, which describes the subject of the book, and which is located in the alphabetical position of the subject, such as "pressed flower collecting," for example. Of course, other cards can exist for a given book (for example, books having multiple authors generally have an author card for each).

In database terms, these cards represent "fields" within the database. For example, in a library, to find all of the books written by Ernest Hemingway, one looks up "Hemingway" in the card catalog. All of the library's books written by any Hemingway are identified by respective author cards. In a computer database, a similar search could be done, upon the "author" field.

Similar searches can be done on the title fields, as well as on the subject fields.

Computer databases, in general, have more fields than does the card catalog. For example, if the card catalog were contained within a computer database, there would probably exist a "date" field. To search using the "date" field, one specifies a date, or range of dates, and the database responds by listing all books having a copyright which complies with the specified date, or range.

Presently existing databases have limitations. For example, many databases require that a user undergo significant training in order to learn how to use the data base. Some databases use arcane commands which the user must memorize.

Some databases contain only that information which is which is owned by the database owner. Returning to the library analogy, if a public library were to computerize its card catalog, by entering all of the information contained within the card catalog into the database program, the database program would, of course, only contain the card catalog information. A user could not, for example, gain access to the card catalog of a second library, in order to locate a book not owned by the first library. The user must go to the second library.

It is an object of the present invention to provide a system which provides a user with improved information accessing facilities.

According to the first aspect of the present invention there is provided a system for managing

a collection of RESOURCES distributed over multiple geographic sites, characterized by SERVERs, located at some, or all, of the sites, means for allowing a user of a SERVER to download, from other SERVERs, RESOURCES which are downloadable, ad means for launching a program, after downloading, which displays the downloaded RESOURCE in its intended format.

According to the second aspect of the present invention there is provided a method of managing computer data, characterized by the following steps: a) storing data in SERVERs located at multiple sites; b) downloading data from a sending SERVER to a receiving SERVER; c) upon downloading, causing the receiving SERVER to examine the downloaded data for indica of a generating program; and d) if said indicia are found, searching for the generating program.

An embodiment of the present invention will now be described, by way of example, with reference to the accompanying drawings in which:

Figure 1A illustrates the concept of storing RESOURCES within a SERVER, and the association of a PROFILE with each RESOURCE;

Figure 1B illustrates how RESOURCES can be divided, according to two different criteria. That is, RESOURCES can be classified as either containing information or not. RESOURCES can also be classified as being downloadable or not;

Figure 1C illustrates how a client of a SERVER can gain access to RESOURCES contained within the client's SERVER, as well as RESOURCES contained within other SERVERs;

Figure 1D illustrates how a SERVER can be viewed as a RESOURCE;

Figure 1E illustrates storage of PROFILES within REGIONAL SERVERs and storage of RESOURCES within LOCAL SERVERs;

Figures 1 - 4 illustrate screens which the invention causes to be displayed on a user's PC, during a log-on process. Most of the icons shown are specific to the user's computer, and relate to software owned by the user. Those contained within the box labeled "Continuous Learning System" are related to programs used by the invention.

Figures 5 and 6 illustrate screens at Level 1, which provide options for the user to select;

Figures 7 and 8 illustrate screens displayed, at Level 2, in response to selection of the "Locate and View" option of Figures 5 and 6;

Figures 9 - 11 illustrate how a user undertakes a Boolean key-word search;

Figures 12 - 14 illustrate screens displayed when a user downloads a RESOURCE located during a search;

Figure 15 illustrates display of the downloaded RESOURCE, by means of launching of a pro-

gram which generated the RESOURCE;

Figures 16 and 17 illustrate modification of the search described in Figures 9 - 11;

Figures 18 - 24 illustrate locating RESOURCES based on the category in which the RESOURCES are classified;

Figures 25 - 28 illustrate locating RESOURCES based on the media upon which the RESOURCES are stored;

Figures 29 - 32 illustrate locating RESOURCES based on the REPOSITORIES in which the RESOURCES are stored; Figure 33 illustrates retrieval of the RESOURCE identified in Figure 32;

Figures 34 - 37 illustrate other SYSTEMS to which the invention allows a user to gain access; Figures 38 and 39 illustrate returning to Level 1; Figures 40 - 54 illustrate creation of a PROFILE associated with a RESOURCE;

Figures 55 - 59 illustrate establishing of an INTEREST, which is an order to search new PROFILES at specified times in the future.

Figures 60 and 61 illustrate the passage of time, during which the INTEREST was searched;

Figure 62 illustrates the results of the INTEREST search.

Figure 63 illustrate return to Level 1;

Figure 64 illustrates a warning given when the user attempts to exit, when downloaded files are present, but not yet stored;

Figure 65 illustrates layout of a typical screen displayed by a Graphical User Interface, GUI. The particular icons, which represent programs and information stored on the computer, will, of course, differ from one computer to another;

Figures 66 - 76 illustrate how an ADMINISTRATOR can change membership of teams, and thereby control the TEAMS' access to RESOURCES;

Figures 77 and 78 illustrate identification, on a PROFILE, of TEAMS which may gain access to the RESOURCES corresponding to the PROFILE;

Figure 79 illustrates sample search results given to a TEAM member. The member is allowed access to all 21 RESOURCES listed.

Figure 80 describes following Figures;

Figures 81 - 83 illustrate a search undertaken by a user who does not have access to all 21 RESOURCES shown in Figure 79. Figure 83 shows the RESOURCES to which this person has access, and the list is different from that of Figure 79; and

Figures 84 - 96 illustrate a flow chart which describes the logic flow of a program in accordance with the present invention.

## DETAILED DESCRIPTION OF THE INVENTION

### OVERVIEW

#### SERVER Holds RESOURCES

Figure 1A illustrates a SERVER, which is a computer, or equivalent, which acts as a REPOSITORY, by holding a collection of RESOURCES, for the benefit of microcomputers, labeled PC's. The PC's are the clients of the SERVER.

At present, for ease of explanation, the RESOURCES can be viewed as computer files. However, as will be seen shortly, the RESOURCES actually include a vastly larger, and more diverse, collection of objects than mere computer files. RESOURCES include (a) data, (b) information, and (c) knowledge, both as these terms are generally defined, and also as defined by computer scientists. This data, information, and knowledge can take the form of computer-downloadable data, or other forms, such as printed matter. Each RESOURCE has an associated PROFILE, which contains descriptive information about the RESOURCE. Figure 48 illustrates an exemplary PROFILE. The user of a PC uses the PROFILES to locate RESOURCES of interest by searching through the PROFILES.

For example, each PROFILE contains a descriptive title. If a user is a manufacturer of golf equipment, and is developing a new golf ball having improved aerodynamic dimples, the user may search the RESOURCES by looking for phrases such as

"golf ball" or "aerodynamic" in combination with "golf ball" within the PROFILES. (This searching is standard Boolean key-word searching.) The invention will locate the PROFILES, and thus the RESOURCES, containing titles which match the search criteria.

#### Location of PROFILES

Figure 1A, as well as Figures 1B through 1D, indicate, for ease of explanation, that the PROFILES are stored in the same SERVER as the RESOURCES. However, the preferred method of storage is shown in Figure 1E. Two types of SERVER exist, namely, LOCAL SERVERS and REGIONAL SERVERS. The PROFILES are stored in the REGIONAL SERVERS. The RESOURCES are stored in the LOCAL SERVERS.

REGIONAL SERVERS, as the name implies, serve a region, and hold the PROFILES for RESOURCES associated with multiple LOCAL SERVERS located within the region. Both types of SERVER (LOCAL and REGIONAL) have ADMINISTRATORS, as that term is explained later. (Of course, the same person can act as ADMINISTRATOR for

more than one SERVER, and for both LOCAL and REGIONAL SERVERS.)

#### RESOURCES Not Limited to Computer-Type Data

The RESOURCES are not limited to computer-type data, or files. Figure 1B provides an example. That Figure shows four different types of RESOURCES, namely, a computer FILE (or data), a BOOK, a reel of MOVIE FILM, and a PHYSICAL OBJECT. The PHYSICAL OBJECT can take the form of any physical object, such as a computer disc drive, or a diesel-electric railroad locomotive. Of course, these four RESOURCES are exemplary only; numerous different types of RESOURCES can exist.

These RESOURCES can be divided into two pairs of classes, based on two different criteria, as indicated by the two dashed loops. One class pair is based on the fact that the BOOK, MOVIE FILM, and FILE all contain information, although stored on different media (paper, celluloid, and magnetic or optical media, respectively). As information, the RESOURCES can be transmitted over a data link, such as a telephone communication channel, provided they are first translated into the proper format, such as digitized data. The PHYSICAL OBJECT, in general, does not contain information.

The second class pair is based on the fact that the BOOK, MOVIE FILM, and PHYSICAL OBJECT are all tangible material objects, while the FILE (when stored within the mass storage of the SERVER) is not. As material objects, the objects themselves cannot be transmitted in the same way as the information which they contain. The objects require physical transportation for a user to obtain them.

#### All RESOURCES, In Certain Respects, Are Treated Identically

The invention, in certain respects, treats all RESOURCES identically, irrespective of their classification as data or material object. For example, every RESOURCE, irrespective of its classification, is associated with a PROFILE. All PROFILES, without regard to classification, are stored, processed, and made available to the user of a client-PC, without regard to classification.

Several examples are the following:

- The user can obtain a complete list of all PROFILES, arranged alphabetically by title. The PROFILES, in general, will cover RESOURCES in both classes.
- The user can obtain a complete list of PROFILES having titles which contain only certain combination of words, by calling for a "boolean

key-word search." The search is performed without regard to classification (unless classification is deliberately made part of the search, as by requesting a search be done only of RESOURCES held in the form of video tape).

- The user can obtain a list of all PROFILES within a specified category.

Categories are discussed below. Each PROFILE, when created, is assigned a category. (If the creator of the PROFILE does not find a suitable, pre-existing category, then the creator can establish a new category, which is added to the system.) The categories are different from the "classifications" described above. Figure 19 illustrates exemplary categories.

#### Security Aspects

This discussion has presumed that the user has access to all PROFILES and all RESOURCES. However, in general, a user will not have such broad access, but only access to those PROFILES and RESOURCES for which the user has authorization. When a user performs a search, only the PROFILES to which the user has access are displayed.

As explained later, the access is controlled by the owner of the RESOURCE. When the owner deposits a RESOURCE into a REPOSITORY, the owner can, of desired, restrict access to the RESOURCE, by designating certain classes of users who are allowed to see the RESOURCE. (The access restriction is accomplished by placing the restrictions into the PROFILE, as later discussed.)

Access can also be limited by the ADMINISTRATOR of a system.

#### Multiple REPOSITORIES

##### All Appear as Single REPOSITORY to User

The preceding discussion has been framed in terms of a single SERVER. The invention allows multiple SERVERs (ie, multiple REPOSITORIES) to be linked together, as shown in Figure 1C. The linking is done by commercially available telecommunication channels.

By the linking, all RESOURCES, contained in all SERVERs, become available to all PC's. However, the linked structure shown in Figure 1C is virtually invisible to the user of a given PC. To that user, all RESOURCES, wherever located, appear as though contained within the user's own SERVER (although the user can ascertain the location of a given RESOURCE, if desired).

For example, the user of PC 1 can obtain access to the following RESOURCES:

- RESOURCE 3, as indicated by dashed path 5;

-- RESOURCE 4, as indicated by dashed path 10; and

-- RESOURCE 6, as indicated by dashed path 8.

The user obtains this access without additional steps or procedures. That is, the fact that the RESOURCES are located within different SERVERS (ie, REPOSITORIES), which may be located in different cities, imposes no requirements of additional procedures. The user sees all RESOURCES as though they were located in the user's own SERVER.

#### RESOURCES Can Include SERVICES, In Addition to REPOSITORIES

The last RESOURCE, number 6, is different from the other two RESOURCES in the following respect. The REPOSITORY holding RESOURCE 6 is not a SERVER which runs the software of the invention. Instead, this REPOSITORY is a commercially available data SERVICE. In 1994, three such commercially available SERVICES are CompuServe, GENie, and Paradox. (The Inventors are not endorsing these particular three SERVICES, but only pointing to them as providing definitions of the term "SERVICE.")

The SERVICES use their own software to maintain their RESOURCES. Nevertheless, the invention allows a user to obtain access to the RESOURCES within the SERVICES. (License fees and other considerations are matters to be handled between the users themselves and the SERVICES. The invention does not provide the user rights to obtain entry into, or connection with, the SERVICES.)

#### RESOURCES Can be Viewed as REPOSITORIES

Figure 1C can, conceptually, be viewed as shown in Figure 1D. Other SERVERS, and the SERVICES, are tantamount to RESOURCES themselves. That is, the user of a PC which is a client of SERVER 14 sees no significant differences between a RESOURCE located in SERVER 14 and a RESOURCE located within another SERVER.

#### Any User Can Place A RESOURCE within any REPOSITORY

A user can create a RESOURCE, such as a computer document, within any REPOSITORY. For example, the user of PC 1 in Figure 1C can place RESOURCE 15 within SERVER 16. (Provided, of course, that the ADMINISTRATOR of SERVER 16 has given this user permission to do so. Also, SERVICES, as opposed to SERVERS, may impose restrictions upon a user's ability to place RESOURCES within them.)

This user, called a PROVIDER, can restrict access to the RESOURCE. For example, the PROVIDER can specify that only certain groups (or TEAMS) of other users can obtain access.

As another type of restriction to access, it is here noted that ADMINISTRATORS can, in effect, restrict access in a similar way, by at least two different mechanisms. One, the ADMINISTRATORS determine who gains access to the SERVER under control of the ADMINISTRATOR. Two, the ADMINISTRATOR can assign users of the SERVER into the TEAMS discussed in the previous paragraph.

#### User Can Establish a Standing Search Order

Any user can request that the PROFILES of newly added RESOURCES be searched for items of interest to the user. For example, the user can request that the "aerodynamic dimple" search, mentioned above, be performed upon every new PROFILE which is added to every REPOSITORY. When a phrase is found, in a PROFILE, which matches the search criteria ("aerodynamic", "golf ball" etc.), the user is notified.

The standing search is done periodically, at intervals (such as once daily) specified by the user at the time the standing search is established. Then, at every interval, the invention automatically performs the search. The inventors point out that the standing search is not done upon each new PROFILE when it is added to the invention, but at the intervals specified by the user.

#### Continuity Aspects

The invention, as just described, has several aspects of continuity.

-- The REPOSITORIES are continually being updated.

-- The network of connected SERVERS (ie, REPOSITORIES) shown in Figure 1C is expected to continually expand into a larger network, containing ever-increasing SERVERS.

-- The users can issue standing search orders which continually search the ever-increasing collection of RESOURCES.

Because of this continuity, the invention has been given the name "Continuous Learning System", or CLS. The CLS can be further explained by analogy to a library.

#### Analogy: Virtual Library

The CLS makes available to a user all of the types of materials (books, newspapers, microfilm, video tapes, etc.) which an ordinary library makes available to a user. (In addition, as discussed above, the CLS makes available the PHYSICAL

OBJECTS shown in Figure 1B).

However, the CLS provides a "virtual" aspect to this library. The term "virtual" means that the CLS provides many, if not all, of the functions of an actual library, but without requiring the physical presence of many of the accessories of a physical library.

For example, in an actual library, when a patron borrows a book, the book becomes unavailable to other patrons. In contrast, under the CLS, many of the RESOURCES (which are analogous to the library books) take the form of downloadable data. Multiple copies can be distributed to multiple users, so that possession by one user does not deprive another user of access to the RESOURCE.

As another example, an actual library contains a card catalog. There is at least one card for each book within the library's collection. By analogy, the CLS contains a PROFILE for each RESOURCE. The PROFILES give important information about each RESOURCE, such as a descriptive title, the location of the RESOURCE, etc.

As yet another example, an actual library contains another type of listing of its books, namely, a "shelf list." The shelf list enumerates all of the books, but in order of ascending library call number, instead of alphabetically. The shelf list tells the physical location of the books, since the books, on their shelves, are arranged in numerical order, according to call number.

Of course, a more macroscopic "shelf list" is the map, found in every library, which explains the locations of different groups of call numbers.

As still another analogy, an actual library categorizes the books according to subjects, in at least two different ways. One, the card catalog contains cards, in alphabetical order, for various subjects. Two, the Dewey Decimal System places books on similar topics at physically neighboring places.

Therefore, viewing library books as RESOURCES, the invention possesses some of the characteristics of a library. In addition, the invention adds a virtual aspect to the library, as discussed above.

Further, the invention allows a user to order a RESOURCE held by a REPOSITORY, and the RESOURCE will be delivered. If the RESOURCE is of the down-loadable type, it will be down-loaded to the user. Otherwise, a message is sent to the custodian of the RESOURCE, requesting physical delivery.

This discussion will now explain, step-by-step, how a user operates the invention.

### Exemplary Sequence of Operation

The invention is designed to run in conjunction with a Graphical User Interface (GUI) such as Win-

dows, available from Microsoft Corporation, Redmond, Washington, or the OS/2 operating system, available from IBM Corporation, located in Armonk, New York.

Figure 1 illustrates a typical display which the GUI generates after the computer's power-up sequence has been executed. To launch the invention into operation, a user actuates the icon labeled "CLS," in the usual manner. ("CLS" is an acronym for the phrase "Continuous Learning System," as stated above.)

The invention responds by displaying the screen shown in Figure 2. This screen prompts the user to enter the user's LOGIN, which is the user's account number for computer usage. The screen also prompts the user to enter the user's PASSWORD. Exemplary LOGINS and PASSWORDS are shown in Figure 3. (The PASSWORD is represented by cross-hatchings, because the PASSWORD is to be kept confidential. The cross-hatchings prevent a nearby observer from stealing the user's PASSWORD.)

The LOGIN and PASSWORD are assigned to the user by the administrator of the CLS, as explained later.

After entry of the PASSWORD, the invention displays the screen shown in Figure 4, which informs the user that the process of logging on has commenced. When the log-on is successful, the screen shown in Figure 5 appears, which can be taken as illustrating Level 1.

This screen provides the user with four options, as indicated by the four buttons labeled 1 through 4. These four options actually encompass a much larger range of available options, but the screen of Figure 5 presents four options for convenience of the user. In brief, these four options allow the user to perform the following actions:

#### 1. LOCATE AND VIEW.

The CLS system, as a whole, can be viewed as a repository of RESOURCES. In a general sense, the CLS can be viewed as a virtual library. That is, all of the types of materials which are found in a library are made available by the CLS. However, much of the material is stored, and made available to the user, in downloadable computer format. These materials are termed RESOURCES, and the "library" is termed a REPOSITORY.

RESOURCES include items which are customarily stored within computer databases, such as computer programs and data. In addition, RESOURCES include items which are not stored in computer-downloadable format. Examples of these latter RESOURCES are newspapers, video tapes, 35 millimeter films, books, microfilm, maps, and all other media which are used to carry information.

Further, the concept of a RESOURCE extends to non-informational subject matter, such as physical objects.

Every RESOURCE carries with it a PROFILE. Each PROFILE contains important information about the RESOURCE, such as a description of the RESOURCE, where it is located, etc. The LOCATE AND VIEW option allows a user to view the PROFILES.

## 2. PROVIDE OR DISTRIBUTE

This option allows a user to add RESOURCES to the CLS.

## 3. IDENTIFY INTERESTS

The CLS allows a user to search the collection of repositories for RESOURCES in which the user is interested. Some distinctions between "LOCATE AND VIEW" and "IDENTIFY INTERESTS" are significant.

The "LOCATE AND VIEW" option allows a user to order a search, according to specific criteria, as discussed above. The search is done once, at the time it is made.

The "IDENTIFY INTERESTS" option allows the user to establish a search which will be done at periodic intervals in the future. The intervals are specified by the user. CLS automatically performs the searches, at the specified intervals, and informs the user of the results.

## 4. PERSONAL INFORMATION

This option allows a user to view and modify information associated with the user's PROFILE.

This discussion will give several examples of use of these options.

### Example 1: LOCATE AND VIEW

Assume that the user actuates the LOCATE AND VIEW button, number 1, as in Figure 6. The CLS responds by displaying the screen shown in Figure 7. This screen offers the user eight options:

1. ALL RESOURCES. This option displays the titles of all RESOURCES which are available to the user.
2. GENERAL SEARCH. This option allows a user to search the PROFILES of all RESOURCES in pursuit of a particular phrase. The GENERAL SEARCH allows Boolean Key-Word searching of the PROFILES.
3. CATEGORY. This option allows a user to search the PROFILES by CATEGORY. For example, assume that the user is a women's fashion designer. The CLS can contain a collection

of drawings and photographs of interest to the fashion industry. The PROFILES can be divided into CATEGORIES such as "Hats," "Shoes," "Evening Wear," "Winter Wear," etc.

4. MEDIA. This option allows a user to obtain access to PROFILES, based on the media type. For example, one media type is video tape. Another is paper. Figure 26 gives further examples of types of media. Media types include down-loadable computer files and data, video tapes, photographic film, books, audio tape, CD-ROM, and so on. Media type refers, generally, to the physical characteristics of the medium which carries the data.

5. REPOSITORIES. This option allows a user to view the RESOURCES according to the REPOSITORY which holds them. For example, assume that the Library of Congress is one REPOSITORY, and the New York City Public Library is another. The user can elect to view all PROFILES of RESOURCES of either library, by selecting the REPOSITORY.

6. SYSTEMS. This option is similar to REPOSITORIES. This option allows a user to obtain access to commercially available SERVICES, as that term is defined above. These SERVICES are also called "On-Line Databases." By selecting this option, a user can gain access to one of these services, through the CLS.

7. SAVE SEARCH AS INTEREST. This option allows a user to establish a standing search, wherein PROFILES are searched as they are created. For example, if the aerodynamic golf ball maker, described above, chooses this option for the search, then every new PROFILE which is added to the system is searched for the terms "aerodynamic" etc. The user is notified when a PROFILE matching the search criteria is found.

Assume that the user selects button 2 in Figure 7, GENERAL SEARCH, as indicated by the highlighted button in Figure 8. The CLS responds by displaying the screen shown in Figure 9. This display prompts the user to request a search based on three criteria (or less).

For example, assume that the user is interested in RESOURCES having the word "UNIX" in the titles of their PROFILES. The user enters the word "UNIX," as indicated in Figure 10. The CLS performs a search of all REPOSITORIES, and locates all PROFILES having the word "UNIX" in their titles. Figure 11 illustrates an exemplary result of the search.

The search provides three pieces of information about each RESOURCE identified by the search. One, the media type, as indicated in the column headed "Media." The phrase "On Line" indicates that the RESOURCE is "On-Line," or in a



computer-down-loadable format (as opposed to being on paper or 35 mm film). If a RESOURCE takes a non-downloadable form, such as a 35 mm film, then the "Media" column so indicates.

The "Date/Time" column indicates the date and time when the PROFILE corresponding to a RESOURCE was created.

The "Title" refers to the title carried by the PROFILE corresponding to each RESOURCE.

Significantly, the screen does not indicate the location of each RESOURCE. To the user, all RESOURCES appear as though residing at a common location, even though they may be scattered over a vast geographic area. Of course, if the user wished to identify the locations of these RESOURCES, the user could do so, using other options described herein.

#### User Retrieves Resource

Assume that the user wishes to obtain item number 7 in Figure 11. The user highlights this item, using a mouse (or keyboard, or other actuation device, such as a voice sensor), causing the display to appear as in Figure 12. Then, the user actuates the button labeled "RETRIEVE," causing the display to take the appearance shown in Figure 13. The icon bearing the sub-title "CLS Download," located at the bottom of the Figure, indicates that a down-loading operation is taking place.

After the downloading is complete, the screen shown in Figure 14 is generated. This screen indicates three important facts. One fact is indicated by the background of the screen, and the heading at the top of the screen. The background and the heading indicate that a computer program was launched.

CLS examined the RESOURCE which was downloaded, and looked for indicia which identified a computer program which was used to create the RESOURCE. In this example, the RESOURCE was a file which was generated by a word-processing program, namely, Microsoft Word (TM).

Having identified the word processing program, the CLS searched for the program, and launched it when CLS found it. The heading in the display shown in Figure 14 indicates that this program has been launched.

The second fact is that CLS caused the word processing program to load the RESOURCE which was downloaded, namely, that which was located during the search for the UNIX title.

The third fact is that the screen shown in Figure 14 informs the user that the RESOURCE which has been downloaded does not exist elsewhere in the user's computer, and, to be saved, must be saved by a specific action taken by the user. (Of course, the RESOURCE maintains its

existence in the REPOSITORY from which it was retrieved). The prompt in Figure 14 reminds the user to save the RESOURCE when the user exits the word processing program; otherwise the RESOURCE will be lost.

Figure 15 illustrates the display generated by the CLS after the user responds to the prompt of Figure 14. The RESOURCE is displayed by the same type of word processing program which generated the RESOURCE.

As another searching example, assume that the user orders the search shown in Figure 16. The user orders that the CLS retrieve all PROFILES having both the word "unix" and the word "library" in their titles. The result of the search is shown in Figure 17. The result is a single title which, coincidentally, is the same as that selected for down-loading as indicated in Figure 12.

#### LEVEL 2: LOCATE AND VIEW BY CATEGORY

Assume that the user is at level 2 within CLS. That is, the user selected option 1 in Figure 5, which represents Level 1.

In Level 2, the user wishes to Locate and View by CATEGORY, as indicated by the button actuated in Figure 18. The CLS responds by presenting a list of the CATEGORIES of RESOURCES which are available, as shown in Figure 19.

This list, in general, includes RESOURCES from multiple REPOSITORIES. That is, the list is global in scope, because the REPOSITORIES are, physically, located at multiple locations throughout the world.

However, the global aspect of the list is transparent to the user: to the user, the list is simply a list of locally available RESOURCES. The location of the RESOURCES is not emphasized to the user, partly because the location does not affect access: downloadable RESOURCES are available immediately, while non-DOWNLOADABLE RESOURCES are available as fast as modern transport can deliver them, typically within one day.

If the user selects a CATEGORY, as indicated by the highlighted CATEGORY "CLS-TEAM NOTES," then the CLS responds by displaying a list of the RESOURCES contained within the CATEGORY, as shown in Figures 20 and 21.

This list is conceptually similar to the list of RESOURCES shown in Figure 12. In that Figure, the RESOURCES listed shared a common feature, namely: they all contained phrases in their PROFILE titles which match a search string issued in Figure 10. Similarly, in Figure 20, all RESOURCES listed share the common feature of residing in the same category.

Restated: the RESOURCES are grouped according to fixed categories, such as those shown in

Figure 19. The RESOURCES can also be grouped into categories by a search call.

Assume that the user wishes to obtain the RESOURCE which is highlighted in Figure 21. The user actuates the proper button on the screen, using a mouse, and the CLS retrieves the RESOURCE. In this case, the RESOURCE takes the form of downloadable data, so that the CLS is able to obtain the RESOURCE, by telephone, or other data channel, from the RESOURCE's REPOSITORY.

The CLS examines the RESOURCE, in order to ascertain whether a computer program is required to display the resource in its intended manner. In the present example, the CLS found that such a program is required, but also found, in attempting to launch that program, that the program was unavailable, or otherwise unsuitable for displaying the RESOURCE. Thus, the CLS displays the screen shown in Figure 22.

This screen informs the user that the program is unavailable, and reminds the user that, to save the downloaded RESOURCE, the user must take active steps. Otherwise, the RESOURCE will be lost, and, to be obtained again, must be retrieved from the REPOSITORY.

The CLS presents the user with the screen shown in Figures 23 and 24, and allows the user to save the RESOURCES, which in this example take the form of computer files, in the usual manner.

Two examples will illustrate some important points regarding the meaning of "display in the intended manner."

#### Example 1

Generally, word processing programs display their documents in formats which are somewhat unique to each program, and also store their documents in different data formats on floppy diskettes.

For instance, consider text which should be underlined, when printed on paper. One word processing program may display this text, on a computer display, as actually underlined. Another word processing program may instead display this text in a different color from the surrounding, non-underlined text.

Further, the two word processing programs will probably store the document on floppy diskettes as different sequences of bytes. That is, the sequences stored on diskettes contain two (or more) types of data. The first type includes the bytes for the actual text of the document. ASCII codes are commonly used, although other codes exist, such as EBCDIC.

The second type includes formatting codes, which indicate special characteristics of given sections of text, such as the underlining discussed

above. Different word processing programs, in general, use different codes to signal different characteristics of the text.

Thus, a given formatting code may have different meanings in different documents created by different word processors. The given code may cause a given piece of text to appear with underlining when displayed on one word processor, yet cause the same text to appear as a different color in another processor.

Further, when some processors display documents generated in another processor, they simply strip out all such codes, and display the document in a predetermined, default format.

The CLS identifies the program which generated the RESOURCE (such as a word processing document) which is retrieved, and attempts to launch the program which generated the RESOURCE, so that the RESOURCE will appear in the same manner as when it was created.

This identification is done not only for word processing documents, but for all RESOURCES which are retrieved, such as graphics RESOURCES, spreadsheet RESOURCES, and so on.

#### Example 2

Multi-media systems display information to a user in several formats, simultaneously. The information can be visual, as on a computer display. The visual information can be static, as a graphic, or sheet of text. The visual information can be dynamic, as in a changing sequence of images, as in video or animation.

The information can also be audible, and played from a speaker.

Conceivably, the information can be tactile. For example, Morse Code can be represented as a sequence of long and short beeps. A proper transducer can make these beeps detectable to the sense of touch, by vibrating a pad which is touched by the fingers. Visually impaired persons may utilize such a transducer.

Another type of tactile information results from the conversion of visual text into Braille text. The conversion is done by an electromechanical device, known in the art, containing a matrix of parallel pins. The device raises the proper pins to display each letter of the visual text in the proper Braille format.

There are numerous other formats of information display. The identification process under discussion examines a RESOURCE which is downloaded, and ascertains whether additional files, information, or data are required to generate a presentation for the user in the format intended by the RESOURCE.

The invention locates the necessary files and information, and launches the proper computer programs necessary for communication with the user, in the manner intended by the RESOURCE.

### Alternate Procedures

It is possible to establish a procedure for running a suitable alternative program, for displaying a RESOURCE, when a given program is not available. For example, if a RESOURCE requires a particular word processing program, and if that program is unavailable when the RESOURCE is downloaded, then the CLS can be programmed to run another program, such as an earlier version of the given program, or another program entirely.

A variation of launching the program can be taken with RESOURCES which take the form of compressed data files. For example, the suffix ".zip" is commonly attached to files which are in compressed format, and require de-compression for use. When the CLS examines the file, it will see the suffix, and launch the proper decompression program to unpack the file. Then, after unpacking, the CLS again examines the file to ascertain the program which will display the file in its intended manner.

### LEVEL 2: LOCATE AND VIEW, MEDIA

Assume that the user is at level 2 within the CLS. That is, the user selected option 1 in Figure 5, which represents Level 1, and advanced to Level 2.

In Level 2, the user wishes to Locate and View RESOURCES by MEDIA type, as indicated by the button actuated in Figure 25. The CLS responds by presenting a list of the different types of MEDIA on which RESOURCES are stored, as shown in Figure 26.

Assume that a user wishes to view a list of all RESOURCES taking the form of video MEDIA (eg, videotape cassettes on VHS or Beta format, and one-inch or two-inch reel tape). The user highlights the "Video" entry, as in Figure 27, and the CLS responds with a list of all RESOURCES stored in video format, as indicated in Figure 28.

As the screen indicates, the user can select a RESOURCE, and then view the PROFILE associated with that RESOURCE. In addition, the user can retrieve the RESOURCE.

If the RESOURCE takes the form of downloadable data, then the RESOURCE is downloaded in the usual manner. However, in the case of video MEDIA, the REPOSITORY holding the RESOURCE may not possess equipment capable of downloading the video by a data link to the user. (That is, the MEDIA may take the form of a videocassette

tape. Data stored on such tape can be analog data, rather than digital data. Analog data is not directly downloadable.)

In this case, the CLS informs the user of the inability to download, and inquires whether the user wishes to request that the RESOURCE be physically delivered to the user. If so, the CLS notifies the REPOSITORY holding the RESOURCE of the user's request. This notification takes the form of a message sent to the ADMINISTRATOR of the REPOSITORY in question, using the CLS. Alternately, the notification can take the form of the CLS sending a message by a commercially available electronic mail service. Sometimes, for added reliability, both types of notification can be undertaken.

It is possible to add the following feature to the CLS. When a user places an order for retrieval of a physical object, such as the video tape in the present example, the CLS, in addition to notifying the REPOSITORY of the request, also notifies a transportation agent.

For example, if both the user and the REPOSITORY are affiliated with the same business organization, the CLS can notify the organization's mail service that the REPOSITORY will soon have a parcel ready for delivery. The mail service takes the appropriate steps to pick up the parcel.

In addition, the CLS can be arranged such that the PROFILES of RESOURCES which are non-downloadable contain relevant shipment information, such as a notation that the RESOURCE is especially delicate, large, or heavy. When a user requests physical delivery of a RESOURCE, the CLS examines the PROFILE, learns whether relevant shipment information exists, and forewarns the transportation agent of the information.

For example, when the CLS informs the mail service that a parcel (the video tape) will be awaiting retrieval at the REPOSITORY, the CLS also informs the mail service of the size of the parcel (very small) so that the mail service knows whether special preparations are required for the pick-up.

As an alternative to notifying an internal mail service, the CLS may notify a public, common carrier, of the impending shipment, and request that carrier to pick up the parcel. This notification can be accomplished by using commercially available electronic mail services.

As another alternate, as Figure 96 indicates, the user may choose that a facsimile message (or FAX) be sent, requesting order of the RESOURCE. One implementation of this FAXing capability requires that the LOCAL SERVER, or the user's PC, be equipped with a facsimile modem, which are known in the art. The content of the FAX is a predetermined "form" letter, to which CLS adds the identify of the RESOURCE, plus other ordering information required by the custodian of the RE-

## SOURCE.

### Classification of RESOURCES

RESOURCES can be classified as "physical," as physical objects, such as flex diskettes, videotapes, etc., or "soft," as in computer-downloadable RESOURCES, such as software.

When a user orders a "physical" RESOURCE, a message, as discussed above, is sent to the custodian of the RESOURCE, requesting delivery. When a user orders a "soft" RESOURCE, the RESOURCE is downloaded to the user directly.

### Features of Display of Figure 26

Figure 26 displays a list of RESOURCES, containing both "soft" and "physical" RESOURCES. The "On Line" entry contains soft RESOURCES, while most of the remainder are physical RESOURCES.

When the user orders one of the physical RESOURCES, the information which CLS transmits to the custodian of the RESOURCE is in a format which facilitates automatic order-filling by the custodian, if the custodian is so equipped.

For example, a common electronic mail message will contain the ordering user's name and address. This information is in an electronic format which is easy to assimilate into custodian's inventory management, or product ordering. That is, the information is contained within a data file which the custodian can retrieve into the system which handles the custodian's order entry system. The custodian can manually transfer the ordering information (such purchaser's name and address) to the files used in filling orders. Alternately, the custodian can be equipped with a computer program which searches the electronic mail message for ordering information, and automatically loads the information into the custodian's order-filling software system. An example will illustrate.

Assume that the electronic mail message contains the following text:

Item ordered: Stock number ABC 123

Purchaser: John Blank

Address: 4343 Oak Terrace, Dayton, OH 45479

How to Bill: (Credit Card or Internal or Send Bill)

Credit Card Number: 1111 2222 3333 4444

The custodian's program searches the text for the phrase "Item ordered." When the program finds this text, it then searches the subsequent text for the stock number to be ordered, and copies the stock number to the order-filling file.

The program copies the rest of the information to the order-filling file in a similar manner. (The "How to Bill" phrase is followed by three possibili-

ties. The ordering person selects one of these, as by entering a numeral "1", "2", or "3". The custodian's program detects the selection, and sets into motion the proper billing action.

Different custodians, in general, will require different items of information. Once the items are known, and the message format is established by the ADMINISTRATOR, the message which CLS sends to the custodians will contain all information which is necessary for completion of a normal business transaction, resulting in transfer of the ordered RESOURCE. And, as described above, the message can automatically trigger initiation of the ordering process.

### LOCATE AND VIEW, BY REPOSITORIES

Assume that the user is at level 2 within the CLS. That is, the user selected option 1 in Figure 5, which represents Level 1.

In Level 2, the user now wishes to Locate and View by REPOSITORY, as indicated by the button actuated in Figure 29. In response, the CLS displays all REPOSITORIES holding RESOURCES, as indicated in Figure 30. Assume that the user selects the REPOSITORY "Marketing Core Server Team," as indicated by the highlighted entry in the Figure.

In response, the CLS displays the RESOURCES held by the selected REPOSITORY, as indicated in Figures 31 and 32. Assume that the user selects the RESOURCE entitled "Windows NT 'The Right Choice'", as indicated by the highlighted entry in Figure 32.

In response, the CLS retrieves the RESOURCE and examines (as explained above) the RESOURCE to ascertain which, if any, program is required to display the RESOURCE. This particular RESOURCE requires the program entitled "Powerpoint," available from Microsoft Corporation, as indicated by the suffix ".PPT" contained in the name of the RESOURCE.

The CLS launches the Powerpoint program, and loads the RESOURCE into the program, thereby displaying the RESOURCE in its intended format, as indicated in Figure 33.

### LOCATE AND VIEW, BY SYSTEMS

Assume that the user is at level 2 within the CLS. That is, the user selected option 1 in Figure 5, which represents Level 1.

In Level 2, the user now wishes to Locate and View by SYSTEMS, as indicated by the button actuated in Figure 34. In response, the CLS provides a list of systems which are available to the user, as shown in Figure 35.

The term "system" refers to organizations which maintain collections of information, such as stock market reports, newspapers, magazines, and so on, which are downloadable to a user. Three exemplary SYSTEMs were identified above.

When the user selects a SYSTEM, as indicated in Figure 36, the CLS connects the user with that SYSTEM. The user obtains access to the system, and obtains the same use of the system as if the user had connected to the system outside the CLS. When the connection is made with a SYSTEM, the CLS displays an appropriate screen, such as that shown in Figure 37.

### Adding a RESOURCE to a REPOSITORY

The user can return to Level 1 by actuating the button shown in Figure 38, which causes the screen shown in Figure 39 to be displayed. The CLS has returned the user to Level 1.

Assume that the user selects option #2, "Provide and Distribute." In response to this option, the CLS displays the screen shown in Figure 40, which allows the user to select the "Provide" option, as indicated. If the user selects the "Provide" option, the CLS responds with the screen shown in Figure 41. This screen represents the PROFILE of the RESOURCE which the user is about to provide to a REPOSITORY. The user fills out the PROFILE in the usual manner, as by the sequence illustrated by Figures 41 - 49. Several points are significant.

The user, who is now a PROVIDER, declares an "Access Level," by selecting a box at the upper right part of Figure 41. If the user selects "Public," then any person gaining access to the CLS can obtain access to the RESOURCE now being added.

If the user selects "Organization" or "Team," then only those members of the user's respective organization or team can gain access. If the user belongs to many teams or organizations, the CLS asks the user to specify those to whom access should be granted.

The "Resource Title" is, of course, the title which appears on the PROFILE. When another user, at a later time, performs searches using the CLS, this title will appear in the list of titles returned to the later user.

The "Resource Category" refers to the "Category" described in connection with Figures 18 - 21. The RESOURCE now being created will become located within the CATEGORY specified on the PROFILE in Figure 41. Whenever a later user searches this CATEGORY, the title of the newly created RESOURCE will be found. (Of course, if the new RESOURCE has access limited to a particular "Team," and if the later user is not a member of this "Team," then the later user will not see

the title when any searches are performed. This aspect is described near the end of the Specification.)

If the PROVIDER finds the CATEGORIES which CLS provides to be unsuitable (these have been created previously by other users of the system), then the PROVIDER can create a new CATEGORY. The PROVIDER does this by choosing the option "OTHER," which is presented when the PROVIDER actuates the box labeled "INFORMATION CATEGORY" in Figures 41 - 49. The new CATEGORY is then added to the list of CATEGORIES, and is shown to all users who subsequently elect to view the CATEGORIES.

"Repository" in Figure 41 refers to the REPOSITORY which will receive and then maintain the RESOURCE.

"Media" refers to the media type, such as those shown in Figure 27.

"Bitmap" refers to a graphical image, or picture, which the PROVIDER can associate with the PROFILE. Figures 46 and 47 illustrate how the PROVIDER identifies the file which contains this image, at the time of creation of the PROFILE. Once the file has been identified, CLS stores it with the PROFILE. At subsequent times, when other users call up the PROFILE, they can actuate the "Bitmap" option, and CLS will display the graphical image.

For example, if the PROFILE's RESOURCE is a physical object, such as a fuel pump for an automobile, the graphical image may take the form of a picture of the pump.

### Searching for Resource Just Created

Figures 41 - 49 described creating a PROFILE for a new RESOURCE. It was entitled "Test Resource for Training," as indicated in Figure 49. Figure 50 illustrates a search request, undertaken under the LOCATE AND VIEW option, done in pursuit of this newly created RESOURCE.

Figure 51 illustrates the results of the search. The new RESOURCE is highlighted by the user, and the RESOURCE PROFILE option is selected. If the user actuates the button labeled "Resource Profile," located at the upper right part of the Figure, CLS displays the PROFILE of this highlighted RESOURCE, as shown in Figure 52.

(If the user selects the "E-Mail" option, by actuating the proper button at the bottom of the Figure, but if the E-Mail option is unavailable, then CLS responds with the message shown in Figure 53.) This message indicates that the file could not be mailed electronically, but specifies the location of the RESOURCE, and inquires whether the user wishes to view the RESOURCE. If the user selects YES, then CLS displays the RESOURCE, as shown

in Figure 54.

### ESTABLISHING A STANDING SEARCH (LEVEL 1 - IDENTIFY INTERESTS)

In brief, this option allows a user to establish a standing search, analogous to a search described in Figures 9 - 12, above. However, this standing search examines new RESOURCES shortly after they are added to their REPOSITORIES, instead of searching the REPOSITORIES immediately. How often the standing search is executed is controlled by the user.

Thus, if a user is interested in new developments in, say, pediatric medicine, the user would establish a standing search in the appropriate category for the subject of interest. The user accomplishes this as follows.

At Level 1, as indicated in Figure 55, a user can select option #3, "Identify Interests." The CLS responds by displaying the screen shown in Figure 56. Assume that the user selects option #2, "Add/Delete Interests."

The CLS displays the screen shown in Figure 57, which invites the user to enter a phrase which describes the interest. The user can enter a phrase or, as indicated in Figure 58, opt to view the user's presently established INTERESTs (if any exist). Figure 59 illustrates the present INTERESTs, namely, "CLS." This INTEREST was saved after a previous search was performed.

Irrespective of the particular manner in which the user creates an INTEREST (either by (a) direct entry of a phrase in Figure 58, (b) by recalling a previous interest, or (c) by modification of the previous interest) the CLS acts upon the interest in the following way.

The CLS, automatically, searches each new PROFILE, at the times specified by the user when the INTEREST was created, according to the search criteria established by the INTEREST.

During a search, if the search criteria are fulfilled, the CLS notifies the user. The CLS accomplishes the notification by placing a small icon on the screen of the user's computer. This icon does not disrupt any current activity of the user. One such icon is that located in the lower left corner of Figure 5, indicating "9 notifications," meaning that nine PROFILES were found which match the standing search, or INTEREST.

The user can view the search results, as shown in Figure 62, by actuating the button at the lower left, associated with the phrase "10 notifications." The search results are then displayed, as shown in Figure 62.

Figure 60 illustrates a screen from which a user may exit. Upon exiting, the GUI will display a screen of the type shown in Figure 61. The icon

containing the number "10" and labeled "NCR Continuous Learning" indicates the results of a standing search, or INTEREST. To view the search results from this level, the user actuates this icon, which causes the display shown in Figure 62 to be generated. The display lists the PROFILES found which match the search criteria.

### REMINDER TO SAVE UPON EXITING

When a user wishes to exit the CLS, the user actuates the exit button, as shown in Figure 63. If the CLS contains local files, which have been downloaded, but not yet saved, the CLS reminds the user of this fact at this time, by means of the screen shown in Figure 64. The user takes appropriate action. (Of course, the originals of the downloaded items are still located at their respective RESOURCES, and are not lost if the user does not heed the warning screen shown in Figure 64.)

Upon exiting the CLS, the Graphical User Interface displays a screen resembling that in Figure 65.

### MODIFICATION OF TEAM MEMBERSHIP

Figure 66 explains the fact that the CLS Administrators manage the membership of teams, and provides a scenario wherein subsequent Figures illustrate modification of team membership. These screens are available only to the Administrator of the SERVER running CLS, and not to the users.

In Figure 67, the Administrator actuates the MEMBERSHIP button. The CLS responds with a list of members, as shown in Figure 68, together with the team affiliation of each. The team affiliation follows the symbol "@".

In Figure 69, the Administrator clicks the ADD button, because the Administrator wishes to add a member to a team. The CLS responds by displaying the screen shown in Figure 70. The Administrator provides the information requested, and actuates the proper buttons on the screen.

The CLS adds the person identified in the screen shown in Figure 70 to the proper team. The membership of the new team can be viewed as shown in Figure 71.

The screen of Figure 71 can also be used as a launching point to modify membership of the TEAMS under the control of the Administrator. (The Administrator of each SERVER handles the TEAM membership of that SERVER.) The Administrator actuates the button TEAMS, causing the CLS to display the screen shown in Figure 72. For simplicity, a single team is illustrated, namely "CLS ADMIN USERS."

The Administrator actuates the MODIFY button, causing the CLS to display the screen shown in

Figure 73. The upper frame lists the current members of the TEAM selected in Figure 72. The lower frame provides a roster of possible members. This roster includes all users which the SERVER, under control of the ADMINISTRATOR, serves.

The ADMINISTRATOR selects users in the lower frame to be added to the TEAM, as indicated by the highlighting in Figure 74, and then actuates the ADD button, as shown in Figure 75. The CLS adds the selected users to the TEAM, as indicated in Figure 76.

### CREATING A RESOURCE WHICH IS LIMITED TO SPECIFIC TEAMS

Figure 77 illustrates a PROFILE of an exemplary RESOURCE which is being created by the ADMINISTRATOR, and which is entitled "CONFIDENTIAL REPORT ON CLS SECURITY REQUIREMENTS." The PROFILE is generated as shown in Figure 78, and, as indicated, access to it has been restricted by the entry adjacent the symbol "CLS ADMIN USERS."

To illustrate the restricted access to the RESOURCE (after its creation) the ADMINISTRATOR first performs a SEARCH (using steps not shown, but explained above, in connection with Figures 10 - 12) which would ordinarily locate the newly created RESOURCE. The results of the search are shown in Figure 79. The "CONFIDENTIAL REPORT . . .", which is the RESOURCE just created, appears at the bottom of the list.

Then, as explained in Figure 80, the Administrator simulates a search run by a user who is not a member of any team which has been granted access to this "CONFIDENTIAL REPORT . . ." As indicated by Figures 80 and 81, the non-TEAM member performs a search which would, ordinarily, locate the "CONFIDENTIAL REPORT . . ." However, Figure 83 shows the search results, which omit the "CONFIDENTIAL REPORT . . ." from the list of RESOURCES available to this user.

This sequence illustrates the fact that the creator of a RESOURCE controls the access to the RESOURCE, by identifying the TEAMS which can gain access to the RESOURCE.

### Flow Chart of Programs

Figures 84 - 96 illustrate a flow chart of the logic followed by a program in accordance with the present invention. This program was written to run on computers using the 80X86 family of microprocessors, available from Intel Corporation. The flow chart, will allow a user to write code which can run on other processors.

In the flow chart, the word "illustration" refers to the patent Figures. For example, in flow chart

Figure 84, the fourth paragraph in the large box states: "See illustration 6 . . ." "Illustration 6" refers to Figure 6.

### 5 Brief Description of Files

The files identified in the flow chart are summarized as follows.

1. MAINCAT1.OBS -- Purpose: main screen.  
Generates four icon-buttons, namely,  
 (1) Locate & View (refers to MAINCAT2),  
 (2) Identify Interests (refers to MAINCAT3),  
 (3) Personal Information (refers to MAINCAT),  
 and  
 (4) Provide or Distribute (refers to MAINCAT5). Subscription Alert, Checks & Button
2. MAINCAT2.OBS -- Locate & View screen  
Generates eight icon-buttons, namely,  
 (1) Resource Catalog (A to Z) (refers to MAINCAT1),  
 (2) Search (refers to SRCHNEW),  
 (3) Resource Catalog - Categories (refers to MAINCAT1),  
 (4) Media, Search by (refers to MAINCAT1),  
 (5) Repositories, Search by (refers to MAINCAT1),  
 (6) Systems (refers to MAINCAT1),  
 (7) Save as Interest (refers to PROFILE), and  
 (8) Return to Main Menu.
3. MAINCAT3.OBS -- Identify interests screen.  
Generates two icon-buttons, namely,  
 (1) View Interests (refers to PROFILE), and  
 (2) Interests Administration (refers to PROFILE).
4. MAINCAT4.OBS -- Personal information screen.  
Generates two icon-buttons, namely,  
 (1) View Personal Profile (refers to USER2),  
 and  
 (2) Change Password (refers to PWDCHG).
5. MAINCAT.OBS -- Provide or Distribute System.  
Generates two icon-buttons, namely,  
 (1) Provide (refers to CATADMIN), and  
 (2) Membership (Administration Only) (refers to MEMBERS N/A).
6. CAT1.OBS -- Interactive screen to Locate & View by "A to Z," Category, Media, Repository, and also for viewing alternate Systems reachable from CLS (refers to RESULTS.OBS).
7. SRCHNEW.OBS -- General search screen; user-interactive screen for search of the CLS database by logical combinations of title, description, and date (refers to RESULTS.OBS).
8. RESULTS.OBS -- Results screen (includes number of entries found in search, list of entries, "more info" button, OK, and Cancel buttons). Key function cataloginfo(): gets profile informa-

tion and, if needed, retrieves the corresponding file and opens it locally in appropriate application; may call CATDBF1 to display profile.

9. PROFILE.OBS, PROFILE1.OBS -- Screen to add or delete interests.

10. CATADMIN.OBS -- Screen to administer accessible resource profiles (especially New, Modify, Delete). (Refers also to NCRCAT.INC (especially Getinfo() function, called by Modify()). Also refers to DIALOG.OBS.)

Important subroutines: Commit() (OK), Modify(), and FID206() (Delete).

11. MEMBERS.OBS -- Screen lists all members of teams, and allows Administrator to add, modify, and delete members. (Refers to USERADM.OBS.)

12. CATDBF1.OBS -- Shows profile data and also information on contact and functions to request more information directly from contact. Can also retrieve corresponding "On-Line" file and open it locally in appropriate application, in manner similar to RESULTS.OBS. (Refers to QTY.OBV.)

13. USERADMIN.OBS -- Screen to add, modify, or delete members from the CLS. (Refers to NEWORG.OBS.)

14. CLNSIGN1.OBS -- Purpose: initial sign-on for the CLS. See Figure 3. Verify() performs the single login to the SERVER. (Server\$ appears only here.)

15. PWDCHG.OBS -- Screen to allow users to change their own passwords.

16. USER2.OBS -- Screen to allow user to view his or her personal information profile (eg, name, e-mail address, user environment). The information is maintained and edited only by the Administrator.

17. NEWORG.OBS -- Screen for use by CLS Administrator to define "organization" (as used in CATADMIN for "IPD Only"/"Organization" checkbox.)

18. DIALOG.OBS -- For adding "Bitmap"/"Preview" from SUB FID257 in CATADMIN.OBS.

19. ABOUT.OBS -- Screen gives CLS version and system information, and access to CREDITS.OBV.

20. ADVISOR.OBS -- Activated from MAINCAT1.OBS, lines 593 and 616. This module executes the display of the list of supplemental operating instructions, described in point number 7, below.

21. ALERT.OBS -- Activated from MAINCAT1.OBS, line 590. This module allows an ADMINISTRATOR to privately communicate with a selected user, as described in point number 8, below.

22. CLNSAVE.OBS -- Screen for saving files from CLS.

23. CLSINTRO.OBS -- Relates to a screen displayed before CLS runs.

24. CREDITS.OBS -- Credits for CLS product.

### Additional Considerations

1. Each REPOSITORY takes the form of mass memory which is associated with a computer, which is called a SERVER. (Alternately, the REPOSITORY can include both the SERVER and the mass memory.)

The REPOSITORIES hold the PROFILES of the RESOURCES. Some RESOURCES are downloadable, and are stored in the mass memory. Other RESOURCES are not downloadable, and will be stored at a location designated on their respective PROFILES.

The invention links all REPOSITORIES together, in a manner which is transparent to the user. For example, as discussed above, a user can request a listing of the titles of all RESOURCES, no matter which REPOSITORIES hold the RESOURCES.

The listing appears, to the user, as though all RESOURCES are located in a single REPOSITORY, although, in general, such is not the case: multiple REPOSITORIES are involved.

Of course, if the user calls for a particular PROFILE whose title appears in the listing, the PROFILE identifies the REPOSITORY. If the user examines several PROFILES, it will become clear that multiple REPOSITORIES are involved.

From another point of view, every user can obtain access to the PROFILES contained in all REPOSITORIES (subject to the access/security restrictions discussed above.) These PROFILES can be searched presently (or as they are created, by establishing an INTEREST), without regard to the fact that multiple REPOSITORIES hold the PROFILES.

In addition, every user can obtain any RESOURCE, identified in a PROFILE, no matter which REPOSITORY holds it (subject, again, to the security restrictions.)

Thus, despite the fact that the RESOURCES and their PROFILES are distributed over multiple REPOSITORIES, which themselves can be distributed world-wide geographically, the user deals with them as though they were located in a single place.

As stated earlier, the soft RESOURCES are located at local SERVERs. The PROFILES are located in REGIONAL SERVERs.

2. When a RESOURCE is downloaded to a SERVER, the invention examines the RESOURCE in an attempt to identify whether a



computer program should be launched, or other actions taken, in order to properly display the RESOURCE. One type of examination involves looking at the file name of the RESOURCE. For example, the file name "Letter.doc" is interpreted as having been created by a word processor which customarily adds the suffix "doc" to its files.

When the invention finds this suffix "doc", the invention consults a look-up table, finds the program which uses the suffix "doc", and then attempts to locate the program, launch it, and load the RESOURCE into it.

Another type of examination involves examining data contained in a header of the RESOURCE. These examinations can collectively be described as looking for indicia which identify the program which generated the RESOURCE.

3. One significant feature of the invention is that all possible options available to a user are displayed on the screens generated by the invention. Selecting an option is self-explanatory: a pointing device is used (for example).

Providing information which the option requires is also self-explanatory: the user fills in blanks, such as those shown in Figure 45 (which relate to PROFILES), using a keyboard.

This feature eliminates a need for the user to remember arcane computer commands, and reduces time required to learn how to use the invention.

4. As discussed above, the PROFILES are stored in REGIONAL SERVERs, while the downloadable RESOURCEs are stored in LOCAL SERVERs. A physical RESOURCE, described by a PROFILE stored in a REGIONAL SERVER, can be stored at any convenient location.

Multiple REGIONAL SERVERs, all storing identical collections of PROFILES, in order to enhance performance. That is, multiple REGIONAL SERVERs can provide faster response to numerous users than can a single REGIONAL SERVER.

5. Figure 95 indicates that the files MEMBERSHIP.OBV and MEMBERSHIP.OBS are not included in the microfiche appendix. The reason is that these files contain the actual membership lists. These lists are created by the user of CLS.

6. Figure 2 contains the phrase, in faint grey lettering, "CLS Overview." This represents an option for the user to view a six-screen tutorial which explains how to use the CLS system. The tutorial automatically is shown when a user logs on for the first time. The user can de-activate the tutorial, which causes the option to be displayed in grayed text, as in Figure 2.

7. It has been found that users pose questions to the ADMINISTRATOR regarding operation of the system. These questions are delivered to the ADMINISTRATOR in any convenient manner, such as by telephone, letter, electronic mail, etc.

The invention allows the ADMINISTRATOR to provide to the users a list of these questions, together with answers to the questions (or any selected group of questions-and-answers). The users obtain access to these questions by the button in Figure 5 labeled "CLS Advisor."

In practice, the ADMINISTRATOR will continually update the list of questions, thus providing a continually updated list of instructions for operating the system.

8. CLS makes provision for the ADMINISTRATORs to send private messages to single users. When the message arrives, an icon appears on the user's screen, informing the user of the message.

**Definitions.** The terms used herein have established meanings in the art. Some additional definitions are the following.

The term "Personal Computer," or PC, has been used. It is to be understood that this term is not limited to the specific set of microcomputers having an architecture designed around the 8XX86 microprocessor manufactured by Intel Corporation. Rather, the term refers to microcomputers generically, and includes, for example, desktop computers, laptop computers, workstations, and terminals. The term includes machines designed according to different architectures and using different processors.

SERVERs are computers, and frequently take the form of large, mainframes. However, as computer technology evolves, the power of mainframes is becoming available in much smaller devices.

A significant feature of the invention is that the invention allows a given PC to act as either a SERVER or as a CLIENT of a SERVER.

RESOURCEs have been described above. RESOURCEs are located in REPOSITORYs. If a RESOURCE takes the form of downloadable data, then such a RESOURCE will most likely be stored in mass storage (eg, disc drives or tape systems) of a SERVER.

However, it is not required that this mass storage be directly "on-line." That is, for example, a given RESOURCE may be stored on magnetic media, such as magnetic tape or floppy diskettes, which are kept on storage racks. While the media are located on the racks, they cannot be read by a computer, and are not considered "on-line." To obtain access to the data, the tapes or discs must be loaded onto appropriate drives.

If a RESOURCE takes the form of a physical object, then the RESOURCE is stored in the same manner as others of its type, as in a warehouse.

PROFILES are collections of information which describe RESOURCES.

5

### Claims

1. A system for managing a collection of RESOURCES (3,4,6,15) distributed over multiple geographic sites, characterized by SERVERS (14,16), located at some, or all, of the sites, means for allowing a user of a SERVER (14,16) to download, from other SERVERS (14,16), RESOURCES (3,4,6,15) which are downloadable, and means for launching a program, after downloading, which displays the downloaded RESOURCE in its intended format. 10 15 20
2. A system according to claim 1, characterized by means for: i) identifying the program which generated the downloaded RESOURCE (3,4,6,15), ii) searching for the identified program; and iii) launching the identified program, if found, and loading the downloaded RESOURCE (3,4,6,15) into the launched program. 25
3. A method of managing computer data, characterized by the following steps: a) storing data in SERVERs (14,16) located at multiple sites; b) downloading data from a sending SERVER (14,16) to a receiving SERVER (14,16); c) upon downloading, causing the receiving SERVER (14,16) to examine the downloaded data for indicia of a generating program; and d) if said indicia are found, searching for the generating program. 30 35
4. A method according to claim 5, characterized by the step of launching the generating program, if found. 40

45

50

55







FIG. 1B





**FIG. 1D**






FIG. 1E

FIG. 1






FIG. 2




FIG. 3




FIG. 4





FIG. 5



**FIG. 6**




FIG. 7





FIG. 8



**FIG. 9**

CLS - Locate and View

File Help

LC

File Help

AND-@

OR-/

NOT-!

Search

Title:

Description:

Date:

AND

ON

/ /

dd/mm/yy

Ok

Cancel

Clear

Help

4

media

Display all authorized resources by media type.

8

BACK TO PREVIOUS SCREEN

Close window and return to main

Type in your search word, phrase or letters. Click on Search button and if there are any resources that match your search entry a list will be displayed or an error will be displayed. Press F1 for help.



FIG. 10

CLS - Locate and View

File Help

Search

File Help

AND-@ OR-/ NOT-!

Title: unix

Description:

Date: / / dd/mm/yy

AND ON

Ok Cancel Clear Help

4

5

6

7

8

BACK TO PREVIOUS SCREEN

- Display all authorized resources by media type.
- Close window and return to main

Type in your search word, phrase or letters. Click on Search button and if there are any resources that match your search entry a list will be displayed or an error will be displayed. Press F1 for help.

FIG. 11




FIG. 12




FIG. 13




FIG. 14





FIG. 15



**FIG. 16**

CLS - Locate and View

File Help

LC

File Help

AND-@

OR-/

NOT-!

Title:

Description:

Date:

unix@library

AND

ON

Ok

Cancel

Clear

Help

4

media

• Display all authorized resources by media type.

8

BACK TO PREVIOUS SCREEN

• Close window and return to main

Type in your search word, phrase or letters. Click on Search button and if there are any resources that match your search entry a list will be displayed or an error will be displayed. Press F1 for help.

FIG. 17

The screenshot shows a graphical user interface window titled "Catalog Search Results". The window has a menu bar with "File" and "Help". Below the menu bar, there is a status area with a button labeled "Resource Profile..." and a message box stating "1 entries returned.". The main content area displays a table with search results. The table has four columns: "Media", "Date/Time", and "Title". The first row shows a result with "Media" as "On Line", "Date/Time" as "01/19/94 09:57", and "Title" as "NCR UNIX Online Library". At the bottom right of the window, there are two buttons: "Retrieve" and "Close".

	Media	Date/Time	Title
1	On Line	01/19/94 09:57	NCR UNIX Online Library



FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23





FIG. 24



This is a list of the entries in the Resource Center by categories. Select a category and click on the OK button or double click on one of the categories listed. Each provider assigns a category to a resource. Press F1 for more help.

**FIG. 25**






FIG. 26






FIG. 27



This is a list of the entries in the Resource Center by media types. Select a media type and click on the OK button or double click on one of the types listed. A list of the resources with the selected media type will be displayed. Press F1 help.



This is a list of the entries in the Resource Center by media types. Select a media type and click on the OK button or double click on one of the types listed. A list of the resources with the selected media type will be displayed. Press F1 help.

FIG. 28

FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33






FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38





FIG. 39




**FIG. 40**

FIG. 41

Resource Administration	
<u>F</u> ile <u>H</u> elp	
Access Level:	<input type="checkbox"/> Public <input type="checkbox"/> Organization <input type="checkbox"/> Team
Resource Title:	<input type="text"/>
Date Added:	<input type="text"/> Date Updated: <input type="text"/> / <input type="text"/> / <input type="text"/>
Product ID:	<input type="text"/>
Cost:	<input type="text"/>
Price:	<input type="text"/>
Information Category:	<input type="text"/>
Information Filename:	<input type="text"/>
Repository:	<input type="text"/>
Resource Description:	<input type="text"/>
Remarks	<input type="text"/>
Please select either New, Modify or Cancel.	
Ok   Cancel   New   Modify   Delete   Clear All   Help	



Resource Administration	
File Help	
Access Level:	<input type="checkbox"/> Public <input type="checkbox"/> IPD only <input type="checkbox"/> Team
Resource Title:	<input type="text"/>
Date Added:	<input type="text"/> / <input type="text"/> / <input type="text"/>
Product ID:	<input type="text"/>
Cost:	<input type="text"/>
Price:	<input type="text"/>
Information Category:	<input type="text"/>
Information Filename:	<input type="text"/> Customer <input type="text"/> Marketing <input type="text"/> Product <input type="text"/> Supplier <input type="text"/> Technology <input type="text"/> Other <input type="text"/> Partnership
Repository:	<input type="text"/>
Resource Description:	<input type="text"/>
Remarks:	<input type="text"/>
<div> <input type="button" value="Ok"/> <input type="button" value="Cancel"/> <input type="button" value="New"/> <input type="button" value="Modify"/> <input type="button" value="Delete"/> <input type="button" value="Clear All"/> <input type="button" value="Help"/> </div>	

FIG. 43

**Resource Administration**

File Help

Access Level: ☐ Public ☐ IPD only ☐ Team

Resource Title:

Date Added:  Date Updated:  /  /

Product ID:  Media:

Cost:  Format:

Price:  Point of Contact:

Information Category:  Alternate Administrator:

Information Filename:

Repository:

Resource Description:

Remarks:

Please enter new data at this time and click on OK.

FIG. 44

EP 0 674 280 A2

**Resource Administration**

File Help

Access Level: ☐ Public ☐ IPD only ☐ Team

Resource Title:

Date Added:  Date Updated:  / /

Product ID:  Media:

Cost:  Format:

Price:  Point of Contact:

Information Category:  Alternate Administrator:

Information Filename:

Repository:

Resource Description:

Remarks:

Please enter new data at this time and click on OK.

FIG. 45

**Resource Administration**

File Help

Access Level: ☐ Public ☐ IPD only ☐ Team

Resource Title:

Date Added:  Date Updated:  / /

Product ID:  Media:

Cost:  Format:

Price:  Point of Contact:

Information Category:  Alternate Administrator:

Information Filename:

Repository:

Resource Description:

Remarks:

Please enter new data at this time and click on OK.

FIG. 46

Resource Administration

File Help

Access Level: ☐ Public ☐ IPD only ☐ Team

Resource Title:

Date Added:

Product ID:

Cost:

Price:

Information Category:

Information Filename:

Repository:

Resource Description:

Remarks:

Please enter new data at this time and click on OK.

Filename:  File size:  0

Current Directory: C:\CLNIUPDATE

Dir List:

cat.ico	[-a-]
catatoz.ico	[-c-]
clnsign.obr	[-m-]
clnsign1.obr	[-p-]
cls.ini	[-s-]
clshelp.hlp	[.]
clsnew.zip	
clsxfr.bat	
clsxfr.pif	

Edit... OK Cancel

FIG. 47

Resource Administration

File Help

Access Level: ☐ Public ☐ IPD only ☐ Team

Resource Title:

Date Added:

Product ID:

Cost:

Price:

Information Category:

Information Filename:

Repository:

Resource Description:

Remarks:

Please enter new data at this time and click on OK.

Filename:  File size:

Current Directory:

Dir List:

<input type="checkbox"/> [-a-]
<input type="checkbox"/> [-c-]
<input type="checkbox"/> [-m-]
<input type="checkbox"/> [-p-]
<input type="checkbox"/> [-s-]
<input type="checkbox"/> [..]

File List:

clock.exe
cls.bmp
cls.ini
<b>cls1.bmp</b>
clsadmin.grp
clsdemo.ppt
clsdisk.doc
clsicons.bmp
clsxfr.pif

Edit... OK Cancel

OK Cancel New Modify Delete Clear All Help

**FIG. 48**

Resource Administration	
File Help	
Access Level:	<input checked="" type="checkbox"/> Public <input type="checkbox"/> IPD only <input type="checkbox"/> Team
Resource Title:	CLS - Test resource for training
Date Added:	<input type="text"/> / <input type="text"/> / <input type="text"/>
Product ID:	Media: <input type="text"/>
Cost:	Format: <input type="text"/>
Price:	Point of Contact: <input type="text"/>
Information Category:	Alternate Administrator: <input type="text"/>
Information Filename:	<input type="text"/> <input type="button" value="Bitmap&gt;&gt;"/>
Repository:	<input type="text"/> <input type="button" value="On Line"/>
Resource Description:	<input type="text"/> <input type="button" value="Notepad"/>
Remarks:	<input type="text"/> <input type="button" value="McCollum, Tab"/>
	<input type="text"/> <input type="button" value="Cowan, Vickie"/>
	<input type="text"/> <input type="button" value="C:\WINDOWS\CLS1.BM"/>
	<input type="text"/> <input type="button" value="Continuous Learning System"/>
	<input type="text"/> <input type="button" value="Help"/>
	<input type="button" value="Ok"/>
	<input type="button" value="Cancel"/>
	<input type="button" value="New"/>
	<input type="button" value="Modify"/>
	<input type="button" value="Delete"/>
	<input type="button" value="Clear All"/>
	<input type="button" value="Help"/>

Please enter new data at this time and click on OK.

FIG. 49

Resource Administration	
File Help	
Access Level:	<input checked="" type="checkbox"/> Public <input type="checkbox"/> IPD only <input type="checkbox"/> Team
Resource Title:	CLS - Test resource for training
Date Added:	<input type="text"/> / <input type="text"/> / <input type="text"/>
Product ID:	<input type="text"/>
Cost:	<input type="text"/>
Price:	<input type="text"/>
Information Category:	<input type="text"/>
Information Filename:	<input type="text"/>
Repository:	<input type="text"/>
Resource Description:	<input type="text"/>
Remarks	<input type="text"/>

CLS - TEST RESOURCE FOR TRAINING was successfully added to the CLS database.



FIG. 50

CLS - Locate and View

File Help

Search

File Help

AND-@ OR-/ NOT-!

Title: training

AND

Description:

ON

Date: / / dd/mm/yy

Ok Cancel Clear Help

media

4

BACK TO PREVIOUS SCREEN

8

• Display all authorized resources by media type.

• Close window and return to main

Type in your search word, phrase or letters. Click on Search button and if there are any resources that match your search entry a list will be displayed or an error will be displayed. Press F1 for help.

FIG. 51




FIG. 52


CLS - Test resource for training	
<div>File Help</div>	
Contact	Tab McCollum
E-Mail	Tab.McCollum@DaytonOH.NCR.COM
Phone	(513) 445-48682
FAX	
Added to resource center	21 JAN 94
Resource updated	21 JAN 94
Media Type	Notepad
Format:	On Line
Product ID:	
Price:	
<div></div>	
Description	
Remarks	
<div>Retrieve E-Mail Fax Close</div>	

FIG. 53

CL S - Test resource for training

File Help

Contact

Tab McCollum

E-Mail

Tab.McCollum@DaytonOH.NCR.COM

Phone

(513) 445-48682

FAX

Added to resource center

21 JAN 94

Resource updated

Media Type

Notep

Format:

On Lin

Product ID:

Price:

Description


Remarks

Retrieve

E-Mail

Fax

Close



CL S Note

Unable to mail request. CLS.TXT in the c:\in\output directory has been created. Do wish to view this file ?

Yes

No

Cancel

FIG. 54




FIG. 55




FIG. 56




FIG. 57






FIG. 58






FIG. 59



ht listing. Please note - items that  
erest list. If there is a match, a  
menu screens.

**FIG. 60**



**FIG. 61**




FIG. 62

**Catalog Search Results**

File Help

Retain Notification ?  
☒ Yes ☐ No

10 entries returned.

Resource Profile...

	Media	Date/Time	Title
1	On Line	12/01/93 20:48	CLS - Sample Log File
2	On Line	12/02/93 13:50	CLS - Pilot Plan
3	On Line	12/13/93 15:03	CLS - Overview Powerpoint Presentation
4	On Line	12/13/93 15:29	CLS - Overview Presentation
5	On Line	12/13/93 15:32	CLS - User Guide
6	On Line	01/05/94 13:38	CLS - Add New User Template
7	On Line	01/07/94 16:10	CLS - Latest version of the CLS application (pkzip)
8	On Line	01/07/94 16:13	CLS - Developer notes and new release 1.01 procedures
9	On Line	01/12/94 14:12	CLS - Parameter file for LINUS interface. (Please read desc
10	On Line	01/21/94 16:55	CLS - Test resource for training

Retrieve Close

TO notification(s) Vickie Cowan

CLS ADVISOR 17:08:26

FIG. 63




FIG. 64





FIG. 65





## FIG. 66

The next few slides deal with the TEAM security of CLS. Only Information Administrators can create, modify or delete new teams. Once a team has been assigned to a user, the user can assign resources to that particular team and only those members will see the resource. We have tried to depict a small scenario to give you a better feel for TEAMS. An information administrator has been logged on to show this illustration.

**FIG. 67**




FIG. 68




FIG. 69




FIG. 70

CLP- Provide or Distribute

CLP User Administration


User ID: 272	Zip Code:	SIP Customer Number
Last Name:	FRC Number:	
First Name:	ACCT Number:	
E-MAIL Address:	Phone Number:	
Mail Drop:	Date Added:	
City:	Date Updated:	
State:	Type of User:	
County:	User Environment:	
Title:	CLS Login:	

Reset User Password

Help  
Ok  
Cancel

Double click to add, modify or delete new members to the Continuous Learning System.

FIG. 71






FIG. 72

FIG. 73






FIG. 74




FIG. 75




FIG. 76




FIG. 77

Resource Administration	
File Help	
Access Level:	<input type="checkbox"/> Public <input type="checkbox"/> IPD only <input checked="" type="checkbox"/> Team
Resource Title:	CONFIDENTIAL REPORT ON CLS SECURITY REQUIREMENTS CLS ADMIN USERS CLS TEST TEAM
Date Added:	<input type="text"/> / <input type="text"/> / <input type="text"/>
Product ID:	<input type="text"/>
Cost:	<input type="text"/>
Price:	<input type="text"/>
Information Category:	<input type="text"/>
Information Filename:	<input type="text"/>
Repository:	<input type="text"/>
Resource Description:	Resource description cannot exceed 255 characters. 82 This is a test resource entry to check the security validation in the TEAM concept
Remarks	Please enter new data at this time and click on OK.


Resource Administration	
File	Help
Access Level:	<input type="checkbox"/> Public <input type="checkbox"/> IPD only <input checked="" type="checkbox"/> CLS ADMIN USERS
Resource Title:	CONFIDENTIAL REPORT ON CLS SECURITY REQUIREMENTS
Date Added:	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Product ID:	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Cost:	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Price:	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Information Category:	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Information Filename:	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Repository:	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Resource Description:	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Remarks	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## FIG. 80

Next few slides show another user named VCOWAN logged in who is not assigned to the CLS ADMIN USERS team to show that the new resource can only be seen by those persons selected earlier.

FIG. 81





Type in your search word, phrase or letters. Click on Search button and if there are any resources that match your search entry a list will be displayed or an error will be displayed. Press F1 for help.

FIG. 83

File

Help

Catalog Search Results


Resource Profile...


18 entries returned.


	Media	Date/Time	Title
1	On Line	10/18/93 07:46	CLS - Status Report dated 5 Aug 93 CLS developers comm
2	On Line	10/18/93 07:46	CLS - Untangling the Windows Sockets API - a standardize
3	On Line	10/18/93 07:46	CLS - Sample windows source code for windows Socket AP
4	Other	10/18/93 09:51	Test of NCR user providing information to the CLS
5	On Line	10/20/93 17:00	CLS - PKUNZIP for CLS application
6	On Line	10/28/93 14:29	CLS - Distinct offers 3-in-1 TCP/IP SDK.
7	On Line	11/05/93 13:38	CLS - SQL NET for Windows Procedures
8	On Line	11/12/93 14:48	CLS - Roles and Responsibilities as determined on 12 Aug
9	On Line	12/01/93 20:48	CLS - Sample Log File
10	On Line	12/02/93 13:50	CLS - Pilot Plan
11	On Line	12/13/93 15:03	CLS - Overview Powerpoint Presentation
12	On Line	12/13/93 15:29	CLS - Overview Presentation
13	On Line	12/13/93 15:32	CLS - User Guide
14	On Line	01/05/94 13:38	CLS - Add New User Template
15	On Line	01/07/94 16:10	CLS - Latest version of the CLS application (pkzip)
16	On Line	01/07/94 16:13	CLS - Developer notes and new release 1.01 procedures
17	On Line	01/12/94 14:12	CLS - Parameter file for LINUS interface. (Please read desc
18	On Line	01/21/94 16:55	CLS - Test resource for training


Retrieve


Close


**FIG. 84**

**FIG. 85**


**FIG. 86**


**FIG. 87**


**FIG. 88**


**FIG. 89**



**FIG. 90**

**FIG. 91**

**FIG. 92**


**FIG. 93**

**FIG. 94**

FROM SCREEN  
"PROVIDE OR DISTRIBUTE"  
(SEE FLOWCHART PG. 5)


This screen allows the user to add, delete and modify resource profiles from the CLS database.

Note that the actual resources themselves are the responsibility of the person providing the resource. In particular, if a resource is "online", then it is his responsibility to maintain a copy of the resource at the location indicated in the profile (ie: the "information filename" includes the directory path locating the file on the network). See Illustration 41 and the files CATADMIN.OBV and CATADMIN.OBS.



## FIG. 95

FROM SCREEN  
"PROVIDE OR DISTRIBUTE"  
(SEE FLOWCHART PG. 5)



This screen allows the administrative users to add, delete and modify members (ie: personal profiles) from the CLS network. This controls who can log on to the CLS network. Note that this screen is only available to qualified users (eg: the CLS Administrator).

This screen also provides access to the "User Administrator" and "Teams" screens.


... Flowchart details are not provided. ...

See Illustrations 68 through 75. The files MEMBERSHIP.OBV and MEMBERSHIP.OBS are not included. However, see USERADM.OBS and USERADM.OBV for the "User Administration" screen.

**FIG. 96**

FROM SCREEN "RESULTS" (SEE  
FLOWCHART PG. 5) ALSO  
"ALL RESOURCES", "CATEGORY",  
"MEDIA", AND "REPOSITORY"

This screen displays the key information about a CLS resource profile, and supplemental information about the contact (eg: E-Mail address and FAX number). It also allows the user to automatically forward an E-Mail or FAX request for more information about a resource, which is especially useful when the resource has a media type other than "online". Finally, if the media type of the resource is "online", then the resource can be retrieved directly (ie: downloaded) and launched in its native application (as can also be done from the "Results" screen).  
See Illustration 52 and the files CATDBF.OBV and CATDBF.OBS.







(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 674 280 A3

(12)

## EUROPEAN PATENT APPLICATION

(88) Date of publication A3:  
27.03.1996 Bulletin 1996/13

(51) Int. Cl.<sup>6</sup>: G06F 17/30, G06F 9/445

(43) Date of publication A2:  
27.09.1995 Bulletin 1995/39

(21) Application number: 95301819.9

(22) Date of filing: 20.03.1995

(84) Designated Contracting States:  
DE FR GB

(72) Inventor: Siefert, David M.  
Englewood, OH 45322 (US)

(30) Priority: 24.03.1994 US 217422

(74) Representative: Robinson, Robert George  
International Patent Department,  
AT&T GIS Limited,  
915 High Road,  
North Finchley  
London N12 8QJ (GB)


(71) Applicant: AT&T GLOBAL INFORMATION  
SOLUTIONS INTERNATIONAL INC.  
Dayton, Ohio 45479 (US)

(54) Launching computer program upon download of data created by program

(57) The invention concerns a resource management system, comprising a plurality of servers (14,16), each serving one or more Personal Computers (PCs) (1). The system also comprises means for allowing each PC (1) to store one or more profiles, detailing the contents of one or more resources (3,4,6,15), in the server (14,16) serving that PC (1). The system further comprises means for allowing the user of each PC (1) to search the profiles stored in all of the servers within the

system, thus enabling the user of each PC (1) to search through the contents of all of the resources (3,4,6,15), within the system. The system further comprises means for allowing the user of a server (14,16) to download from other servers, resources which are downloadable, and means for launching a program, after downloading, which displays the downloaded resource (3,4,6,15) in its intended format.

FIG. 1C





European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number  
EP 95 30 1819

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. CL 6)
X	PROCEEDINGS OF THE OBJECT ORIENTED PROGRAMMING SYSTEMS LANGUAGES AN APPLICATIONS CONFERENCE. (OOPSLA), ORLANDO, OCT. 4 - 8, 1987 SPECIAL ISSUE OF SIGPLAN NOTICES, VOL. 22, NO. 12, DEC. 1987, vol. 22, 4 October 1987 MEYROWITZ N, pages 126-137, XP 000299779 CAPLINGER M 'AN INFORMATION SYSTEM BASED ON DISTRIBUTED OBJECTS' * page 126, left column, line 27 - page 128, right column, line 8 *	1	G06F17/30 G06F9/445
A	IBM TECHNICAL DISCLOSURE BULLETIN, vol. 36, no. 1, January 1993 NEW YORK, US, page 10 ANONYMOUS 'Programmable Interface for Generic Host Database Programs for an Imaging System.'	2-4	
A	WO-A-92 22870 (ICL DATA AB) 23 December 1992 * abstract; claim 1 *	1,3	TECHNICAL FIELDS SEARCHED (Int. CL 6)  G06F
The present search report has been drawn up for all claims			
Place of search BERLIN		Date of completion of the search 22 January 1996	Examiner Deane, E
<p><b>CATEGORY OF CITED DOCUMENTS</b></p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ----- &amp; : member of the same patent family, corresponding document</p>			